



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 40

CASE NO. 622

TYPE OF ACCIDENT CAR RESERVAN OFF ROAD MOUNG ALONG DEVENING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) VEHICLE # ENTERING SERVICE ROAD TURNED LEFT ATTEMPTING
TO MOVE AROUND REOPLE IN DRIVEWAY, STRUCK FEDESTRIAN WITH THE RIGHT FRONT OF VEHICLE #1

B. PEDESTRIAN PROFILE										
Pedestrian			Most (TO BE COMPLE	Injury ZONE CENTER)						
No.	Age	ge Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	29	/	MINOR	lower leg	Contusion	1	Bumper			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	Class	C. VEN	Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	FULL SIZE	76/OLD SMOBILE/ SIL howETTE	Bumper	MINOR			

. U.S. Department of Transportation

HS Form 431B (1/95)

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter =/ 250 meters

National Highway Traffic Safety Administration Indicate Case Number-Stratum 6 22 P PSU No. 40 North **O**-

BEST AVAILABLE

Scale: 1 centimeter =

meters


U.S. Department of Transportation

HS Form 431B (1/95)

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate PSU No. Case Number - Stratum North $\hat{\mathcal{N}}$

622P





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number <u>U</u>	_	Case N	lumber	-Stratum 6 2 2 2 P	
PEDESTRIAN ACCIDENT CO	LLISION DATA (COLLECTION		SCALED DIAGRAM	
document reference point and reference line relative to physical features	Surface Type		orth arrow placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	<u></u>		ade measurements for all applicable adways	
a) vehicle skid marks	Coefficient of Fri	ction	* sc inc	aled representations of the physical plant cluding:	
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	
c) vehicle/pedestrian point of impact (POI)	a) at impa		b)	all traffic controls (e.g., lights, signs)	
d) location of pedestrian separation point from vehicle	b) between final re-	n impact and st	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	a)	physical evidence, or	
documentation of the physical plant including:	Vehicle Travel D	irection	b)	reconstructed accident dynamics	
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	el Lanes			
b) all traffic controls (e.g., lights, signs)					
Reference Point: FIRE HYDRA	NT	Reference Line: £4	ST C	URBLINE	
		Distance and Direction		Distance and Direction	
Item		from Reference Point		from Reference Line.	
R, P.		0.0		4.2 E	
STOP SIGN		11.85	7,4 E		
LIGHT POLE		4,45		0.7 E	
		,			
		·			

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		-
	···	



U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
----	---------	----------	------	--------

2. Case Number - Stratum

IDENTIFICATION

- 3. Number of General Vehicle Forms Submitted

- 4. Date of Accident (Month, Day, Year)
- 5. Time of Accident

0800

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

6. ____SS15 Administrative Use

0

7. ____SS16 Pedestrian Crash Data Study

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that

has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

1

8. ___SS17 Impact Fires

0

9. ____SS18 _____

0

10. ___SS19 _

0

NUMBER OF EVENTS

Number of Recorded Events in This Accident

.0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the

		PEDESTRIAN	ACCIDEN"	EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14. 14	15. <u>F</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

O.M.B. No. 2127-0021

1. Primary Sampling Unit Number 40	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 22 P	kilogram. (999) Unknown
3. Pedestrian Number0_1	185 pounds X .4536 = 83 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 70 inches X 2.54 = 78 centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 2	(00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8.) Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 37 inches X 2.54 = 095 centimeters	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
·	19. Pedestrian's Leg Orientation
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify):	at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(9) Unknown	(01) Carried by vehicle, wrapped position
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	<u> </u>	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,	<u>D</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
,		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - WARMABLES CONFINORSERV AN	(= 000
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death
(01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death
initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	36. 3rd Medically Reported Cause of Death O O Code the Pedestrian Injury from line number(s) for the medically reported
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02,50) Code the cetted value of the HOO	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
(02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	S INCLUDED WITH INITIAL SUBMISSION?
	YES []
UPDATE CANDIDATE?	NO[] YES[]
	•

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021 NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury


	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	lnjury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage
1st	<u>.3</u>	6.8	, <u>9</u>	в <u>ОЗ</u>	9. <u>0 2</u>	10. 1	11.2	12. <u>700</u>	13			16. <u>~</u>	Depth
2nd	18. <u>3</u>	19. 💆	20.9	21. <u>04</u>	22. <u>0 d</u>	23. 1	24. <u>2</u>	25. <u>700</u>	26. 🖊	27	28. 2	29. <u>Z</u>	30.2
3rd	31	32	33	34	35	36	37	38	39	40	41	42	43
4th	44	45	46	47,	48	49	50	51	52	53	54	55	56
ith	57	58	59	60	61	62	63	64	65	66	67	68	69
th	70	71	72	73	74	75	76	77	78	79	80	81	82
th	83	84	85	86	37	88	89	90.	91,	92	93	94	95
ħ	96	97	98	991	001	01	102	103	104 104	105	106 1	07 1	08
h	109	110	1111	1121	131	14,	115	116	117 1	18	119 1	20 1	21
ħ	122	123	124 1	2512	261	271	28	129	130 1	311	321	33 1	34

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and

			410.00	PEDES	STRIA	ILNI N	JRY DAT	Ά				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th		_										
12th		_										
13th	_				_							
14th	_											_
15th		_			_							
16th		_			_							
17th	_	_										
18th	_	_										
19th												
20th	_				-	_						
21st												
22nd	_	_			_							
		_				_						
	_	_			_					-		
25th	_											

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





medical records Scratch (Scuff, Cloth Transfer, Smear) Unknown (2) Hospital/medical records other than emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Large deformation summary) (5) Cracked, fractured, shattered Direct contact injury Indirect contact injury (3) Emergency room records only (including (6) Separated from vehicle associated X-rays or other lab reports) (7) Noncontact injury Noncontact injury (8) Other specify: Private physician, walk-in or emergency (7) Injured, unknown source Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) DAMAGE DEPTH UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report (1) No residual damage (6) E.M.S. personnel Rounded (contoured) Surface only damage (7) Interviewee (4) (5) Rounded edge Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters (3) (8) Other source (specify): Sharp edge Other (specify): (9) Police Other specify: (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion (2) Minor injury (06) Lumbar Neck Moderate injury Thorax Serious injury (06) Skin - Laceration <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 (5) (6) (4) (5) Abdomen Severe injury (08) Skin - Avulsion Spine Critical injury (10) Amputation Maximum (untreatable) Injured, unknown severity (6) Upper Extremity (20) Burn (8) Lower Extremity (30) Crush Level of Injury (40) Degloving (50) Injury - NFS (9) Unspecified Aspect Specific injuries Type of Anatomic Structure assigned (90) Trauma, other than mechanical consecutive two-digit numbers beginning with 02. Whole Area (2)Left Head - LOC (3) (4) (5) Bilateral Vessels (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the (3) Central Nerves organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Organs (includes muscles/ (10) Concussion Anterior (6) Posterior ligaments) (5) Skeletal (includes joints) (7) Superior (8) (9) (6) Head - LOC Inferior Skin Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 708 Turn signal/parking lights Undercarriage components 753 Right side folding mirror 718 Other front or add on object 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 719 Unknown front object 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 721 Front antenna 806 Catalytic converter 759 Unknown right side component 722 A1 pillar 723 A2 pillar 807 Muffler 808 Floor pan Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface 728 Other pillar (specify): 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component 730 Left side door surface **Accessories** 731 Left side door handle 820 Air scoop, deflector Top Components 732 Left side mirror fixed housing 821 Cellular or CB radio antenna 770 Hood surface 733 Left side folding mirror 822 Emergency lights or bar 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 823 Fog lights component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 738 Other left side object 827 Spotlight 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 742 A1 pillar 959 Unknown object on contacting vehicle 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

(1) Certain (2) Probable

Possible

TYPE OF DAMAGE

Injury not from vehicle contact No damage/contact

SOURCE OF INJURY DATA

(1) Autopsy records with or without hospital/

OFFICIAL

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __._

PO₂ =

PCO₂ ____


HCO3 ____






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 2 P	9. Police Reported Travel Speed 9.
3. Vehicle Number VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	mph X 1.6093 = kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 30 mph X 1.6093 = 048 kmph
(99) Unknown 6. Vehicle Model (specify): SILLOUETTE Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	 (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- 5-door/4-door hatchback (05)
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (< 4,500 kgs GVWR)
- (23)Van based motorhome (≤ 4,500 kgs GVWR)
- Van based school bus (≤ 4,500 kgs GVWR) Van based other bus (≤ 4,500 kgs GVWR) (25)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-

- (32) Pickup with slide-in camper
- Convertible pickup (33)
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- (45)Other light conventional truck type
- (48)Unknown light truck type
- Unknown light vehicle type (automobile, utility, van, or (49) light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR \le 8,850 (61) kgs)
- Single unit straight truck (8,850 kgs < GVWR s 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64)Single unit straight truck, GVWR unknown
- Medium/heavy truck based motorhome
- (67)Truck-tractor with no cargo trailer
- Truck-tractor pulling one trailer (68)
- Truck-tractor pulling two or more trailers (69)(70)
- Truck-tractor (unknown if pulling trailer) (78)Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82)Three-wheel motorcycle or moped
- Other motored cycle (minibike, motorscooter) (88)(specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3.804 lbs x .4536 = 1.725 kgs	18. Impact Speed + Q Q Q Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed
(999) Unknown lbs X .4536 =, kgs	(0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP -VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	_	1		
23.	Critical Precrash Event		(83)	Padalovolist or other permetation:
	This Vehicle Loss of Control Due To:		(03)	Pedalcyclist or other nonmotorist in roadway (specify):
	(01) Blow out or flat tire		1841	
	(02) Stalled engine		(04)	Pedalcyclist or other nonmotorist approaching roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	İ	1951	Podelevelist or other production of the control of
	(specify):		(05)	Pedalcyclist or other nonmotorist—unknown
	(04) Non-disabling vehicle problem (e.g., hood flew	l	Ohio	location (specify):
	up) (specify):			
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	ļ		Animal in roadway
	(specify):		(00)	Animal approaching roadway Animal—unknown location
	(06) Traveling too fast for conditions			
	(08) Other cause of control loss (specify):	ŀ		Object in roadway
	toponiji.		(91)	Object approaching roadway
	(09) Unknown cause of control loss	1	1001	Object—unknown location
	This Vehicle Traveling		(30)	Other critical precrash event (specify):
	(10) Over the lane line on left side of travel lane		(00)	Unknown
	(11) Over the lane line on right side of travel lane		(33)	Unknown
	(12) Off the edge of the road on the left side	21) A++-	moted Assolder as M
	(13) Off the edge of the road on the right side	\ ~~	IOON	mpted Avoidance Maneuver
	(14) End departure	\sim	/(OO)	No driver present
	(15) Turning left at intersection			No avoidance actions
	(16) Turning right at intersection			Braking (no lockup)
	(17) Crossing over (passing through) intersection		(03)	Braking (lockup)
	(19) Unknown travel direction			Braking (lockup unknown)
	Other Motor Vehicle In Lane			Releasing brakes
	(50) Stopped			Steering left
	(51) Traveling in same direction with lower speed			Steering right
	(i.e., lower steady speed or decelerating)	l	(00)	Braking and steering left
	(52) Traveling in same direction with higher speed	l		Braking and steering right
	(53) Traveling in opposite direction			Accelerating
	(54) In crossover	l	(12)	Accelerating and steering left
	(55) Backing		(12)	Accelerating and steering right
	(59) Unknown travel direction of other motor vehicle		(99)	Other action (specify): Unknown
	in lane		(33)	Olkhowii
	Other Motor Vehicle Encroaching Into Lane	25	. Prec	rash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left	ŀ	(0)	No driver present
	lane line		(1)	No avoidance maneuver
	(61) From adjacent lane (same direction) - over right			Tracking
	lane line		(3)	Skidding longitudinally-rotation less than 30
	(62) From opposite direction—over left lane line			degrees
	(63) From opposite direction—over right lane line		(4)	Skidding laterally—clockwise rotation
	(64) From parking lane		(5)	Skidding laterally—counterclockwise rotation
	(65) From crossing street, turning into same direction	1	(8)	Other vehicle loss-of-control (specify):
	(00) From crossing street, across path		(0)	Drawnsk at 1 W
	(67) From crossing street, turning into opposite		(9)	Precrash stability unknown
	direction	26	Prec	rash Directional Consequences of
	(68) From crossing street, intended path not known	٦	Avoi	idance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(0)	No driver present
	(71) From driveway, across path		(1)	No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known	l		maneuver was initiated
	(74) From entrance to limited access highway	1	(3)	Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details			where avoidance maneuver was initiated
	unknown		(4)	Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist			travel lane where avoidance maneuver was
	(80) Pedestrian in roadway		/F:	initiated
	(81) Pedestrian approaching roadway	1	(5) (6)	Vehicle departed roadway
	(82) Pedestrian—unknown location		(6) (9)	Avoidance maneuver initiated off roadway Directional consequences unknown
			.~/	CHOCKIONAL CONSCIUENCES HAVAORA

	ENVIRO	NME	ENTAL DATA
() () () () ()	telation to Junction O) Non-junction 1) Interchange area Ion-Interchange 2) Intersection 3) Intersection-related 4) Drive, alley access related 5) Other non-interchange (specify):	4	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28. T (1 (2 (3	Unknown type of non-interchange Unknown if interchange Trafficway Flow Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign
(1 (2 (4 (4 (4 (4 (4)	lumber of Travel Lanes 1) One 2) Two 3) Three 4) Four 5) Five 6) Six 7) Seven or more 9) Unknown	2	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning
(; (; (;	Roadway Alignment 1) Straight 2) Curve right 3) Curve left 9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
() () () ()	Roadway Profile 1) Level 2) Uphill Grade (>2%) 3) Downhill Grade (>2%) 4) Hillcrest 5) Sag 9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
() () () () ()	Roadway Surface Type 1) Concrete 2) Bituminous (asphalt) 3) Brick or Block 4) Slag, gravel or stone 5) Dirt 8) Other (specify):	<u></u>	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
30. F (1) (2) (3) (4) (4) (4) (4) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	1) One 2) Two 3) Three 4) Four 5) Five 6) Six 7) Seven or more 9) Unknown Roadway Alignment 1) Straight 2) Curve right 3) Curve left 9) Unknown Roadway Profile 1) Level 2) Uphill Grade (>2%) 3) Downhill Grade (>2%) 4) Hillcrest 5) Sag 9) Unknown Roadway Surface Type 1) Concrete 2) Bituminous (asphalt) 3) Brick or Block 4) Slag, gravel or stone 5) Dirt 8) Other (specify):	1	 (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sar dust, etc.) (specify):

U.S. Department of Transportation
National Highway Traffic Safety
Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Primary Sampling Unit Number	40
Case Number - Stratum	622

3. Vehicle Number

VEHICLE IDENTIFICATION

Model Year 4

cm

cm

Vehicle Make (specify): OLASMO BILE

Vehicle Model (specify): SILLOURTE

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm

cm

cm cm

cm

VEHICLE DAMAGE SKETCH




Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) NOTES: and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 175 cm

	PEDESTRIAN SIDE CONTACT WORK SHE	-1 -	rage
	:		
PEVO	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
,	VEDTICAL MERCULTURA		
DEVIS	VERTICAL MEASUREMENTS		
	Ground Clearance		cm
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
	Top of Tire		cm
	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C_L to A-Pillar at Bottom of Windshield		
			cm
	C _L to A-Pillar at Top of Windshield		cm
1 2 7 7	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
	Ground to Head Contact		cm
			cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

Wheelbase 09.8 inches x 2.54 = Overall Length inches x 2.54 =Maximum Width inches x = 2.54 =Curb Weight \neq pounds x .4536 = $\sqrt{0}$ 0. 6 inches x 2.54 = Average Track Front Overhang inches $\times 2.54$ Rear Overhang inches $\times 2.54$ Undeformed End Width inches \times 2.54 CM Engine Size: cyl./displ. CC \times .001 CID x .0164 =SOURCE **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowi area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET									
CONTACT ID LABEL	CONTACT COMPONENT LONGITUDINAL LATERAL CRUSH ID CONTACTED LOCATION LOCATION IN SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT LABEL (X) (Y) CENTIMETERS BODY REGION CONTACT POINT (Circle)									
1NH	BUMPER	65	65			SUEAR	2 3 9	1		
MC	Hood	63	84			SUEAR SCHATCH	1 7 2 1 9	2		
	-		, , , , , , , , , , , , , , , , , , ,				1 2 3 9			
							1 2 3 9			
						,	1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 7 3 9			
							1 2 3 9			
							1 2 3 9			
							1239			
			·				1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
		-					1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			

POINTS OF PEDESTRIAN CONTACT								
			CHRONO		ER OF CONTACTS	j		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	
1	700	65	65		LEG	SMEAR	1 2 3 9	
2	770	63	84		LEG Hil	SMFAR SCRATCH	1011	
3			,				1 2 3 9	
4							1 2 3 9	
5				·			1 2 3 9	
6							1 2 3 9	
7							1 2 3 9	
8							1 2 3 8	
9							1 2 3 9	
10							1 2 3 9	
11								
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 9	
17	·						1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	
							1 2 3 9	

VEHICLE DIMENSIONS	
4. Original Wheelbase Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
$+09.8$ inches $\times 2.54 = 279$ centimeters	
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown 60.9 inches X 2.54 = 156 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the	Front Vertical Measurements
nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
nearest centimeter (210) 210 centimeters or more (999) Unknown	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
$-56.3 \text{ inches } \times 2.54 = /43 \text{ centimeters}$ 10. Hood Width Midway	(3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 57 inches X 2.54 = 4 centimeters	16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

(150) 150 centimeters or more

____ inches X 2.54 = ___ centimeters

(999) Unknown

(999) Unknown

 $\underline{56.7}$ inches X 2.54 = $\underline{444}$ centimeters

29.	Centerline of Wheel		Side Lateral Measurements
	Code to the nearest centimeter		
	(000) No side contact (150) 150 centimeters or more		35. Centerline to A-Pillar at Bottom of Windshield
	(999) Unknown		(000) No side contact
	inches X 2.54 =	aantimatara	Code to the nearest centimeter
		centimeters	(250) 250 centimeters or more
30.	Top of Tire	000	(999) Unknown
	Code to the nearest centimeter		inches X 2.54 = centimeters
	(000) No side contact		
	(200) 200 centimeters or more (999) Unknown	;	36. Centerline to A-Pillar at Top of Windshield
			Code to the
	· inches X 2.54 =	centimeters	nearest centimeter (000) No side contact
21	Tan of Mile and Mile II O and a	A - M	(250) 250 centimeters or more
٥,.	Top of Wheel Well Opening Code to the	00U	(999) Unknown
	nearest centimeter (000) No side contact		inches X 2.54 = centimeter
	(250) 250 centimeters or more	:	
	(999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the
32.	Bottom of A-Pillar at Windshield	000	nearest centimeter (000) No side contact
	Code to the nearest centimeter	U UU	(300) 300 centimeters or more (999) Unknown
	(000) No side contact	!	
	(250) 250 centimeters or more (999) Unknown	ļ	inches X 2.54 = centimeter
		!	Side Wrap Distance Measurements
	inches X 2.54 =	centimeters	And with risidiate MeasureMents
33.	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition
	Code to the nearest centimeter		Code to the nearest centimeter
I	(000) No side contact		(000) No side contact
I	(300) 300 centimeters or more (999) Unknown		(400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror	m ~ m	39. Ground to Hood Edge
	Code to the	CO-0-1	Code to the
	nearest centimeter (000) No side contact		nearest centimeter (000) No side contact
	(300) 300 centimeters or more (999) Unknown		(500) 500 centimeters or more (999) Unknown
•	inches X 2.54 =	centimeters	inches X 2.54 = centimeters

1

PSU40 CASE 622P

1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident (military time)

0800

SPECIAL STUDIES - INDICATORS

6. 9915 0 **7. 9**816 1

8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

Οi

PSU40 CASE 622P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage
				****	**** **** **** **** **** **** ****	
12. 01	13. 01	14. 14	15. F	16. 72	17. 00	18. 0

01

PSU40 1997 PEDESTRIAN ASSESSMENT FORM CASE 622P

VEHICLE 01 PEDESTRIAN 01

PED	ESTRIAN'S CHAI	RACTERISTICS	
4 =	Pedestrian's	Age	29
5.	Pedestrian's	Sex	1
6.	Pedestrian's	Overall Height	178
7.	Pedestrian's	Height - Ground to Knee	65
8.	Pedestrian's	Height - Ground to Hip	095
9.	Pedestrian's	Height - Ground to Shoulder	148
10.	Pedestrian's	Weight	084
PED	ESTRIAN'S PRE	-AVOIDANCE ACTIONS	
11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	l.
13.	Pedestrian's	Actions Relative to Vehicle	09
14.	Pedestrian's	Body (Chest) Orientation Relative	
	to Striking \	Vehicle Prior to Avoidance Actions	3

PEDESTRIAN'S AVUIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	06
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	1 2 01 03 10
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	0 96 0

INJURY CONSEQUENCES 25. Injury Severity (Police Rating) 26. Treatment - Mortality 27. Type of Medical Facility (for Initial Treatment) 28. Hospital Stay 29. Working Days Lost	1 4 2 00 00
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	02
31. Was the Pedestrian Given Blood?	1
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	02

01

PSU40 CASE 622P 1997 PEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

				•	tons der beer but		2.140 001						
	Source		Type						Inj.			•	
	οf		⊂f	Spec.	Lev.				Source	Dir./		Type	
	Inj.	Body	Anat.	Anat.	o f	AIS		Inj.	Conf.	Indir.	Str.	of	Dmg.
	Data	Reg.	Struc.	Struc.	Inj.	Sev.	Asp.	Source	Level	In.j.	Fro.	Dmg.	Dep.
								**** **** **** **** ****	***** **** **** ****				
01.	3	8	9	02	02	i	2	700	1	1	2	2	2
02.	3	8	9	் 4	02	1	2	700	1	1	2	2	2

Οi

PSU40 1997 PEDESTRIAN GENERAL VEHICLE FORM

CASE 622P VEHICLE 01

VEHICLE IDENTIFICATION	
4. Vehicle Model Year	96
5. Vehicle Make	21
6. Vehicle Model	441
7. Body Type	20
8. Vehicle Identification Number	1GHDU06E1TT
OFFICIAL RECORDS	
9. Police Reported Travel Speed	999
10. Speed Limit	048
11. Police Reported Alcohol Presence For Driver	7
12. Alcohol Test Result For Driver	96
13. Police Reported Other Drug Presence	\circ
14. Other Drug Specimen Test Result for Driver	0

09

VEHICLE WEIGHT ITEMS 15. Vehicle Curb Weight 16. Vehicle Cargo Weight	1,730 9,990
OTHER DATA 17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed 19. Accuracy Range of Impact Speed Estimate 20. Data Source of Impact Speed	NTER) +999 9 0
PRECRASH DATA 21. Driver's Attention to Driving	4

22. Pre-Event Vehicle Movement

PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuver 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 9

ENV.	IKUNMENTAL DATA	
27.	Relation to Junction	4
28.	Trafficway Flow	4
29.	Number of Travel Lanes	
SO.	Roadway Alignment	1
31.	Roadway Profile	1
32.	Roadway Surface Type	1.
33.	Roadway Surface Condition	1
34.	Traffic Control Device	0
35.	Traffic Control Device Functioning	O
36.	Light Conditions	1
37.	Atmospheric Conditions	1
O 1		

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

PSU40 CASE 622P VEHICLE 01

VEHICLE DIMENSIONS

4.	Original Wheelbase	279
5.	Original Average Track Width	154
6.	Hood Material	1
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	071
9.	Hood Width Forward Opening	143
10.	Hood Width Midway	145
11.	Hood Width Rear Opening	146
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1
13.	Windshield Contact Damage From	
	Pedestrian Contact	0

FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS

•	040 17	5. Front Bumper Reinforcement Mat. 7. Front Bumper-Top Height 9. Front Bumper Lead	1 053 14
FRONT WRAP DISTANCE MEASUREMENTS			
20. Ground to Fwd. Hood Opening	072 2:	1. Ground to Front/Top Transition Pt	090
22. Ground to Rear Hood Opening	144 20	3. Ground to Base of Windshield	158
24. Ground to Top of Windshield	274 25	5. Ground to Head Contact	998

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS

	m V Sent Co. F. als. Sent I Dent. 2. I Sent I A Sent Dent I Sent I I Sent I I Sent	
26.	Ground Clearance	000
27.	Side Bumper-Bottom Height	000
28.	Side Bumper-Top Height	000
29.	Centerline of Wheel	000
30.	Top of Tire	000
31.	Top of Wheel Well Opening	000
32.	Bottom of A-Pillar at Windshield	000
33.	Top of A-Pillar at Windshield	000
34.	Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	at	Bottom	of Wi	ndshield	000
36.	Centerline	to	A-Pillar	at	Top of	Winds	hield	000
37.	Centerline	to	Maximum	Side	e View ↑	Mirror	Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000
,				

99040980999941211110011

PSU40 CASE 622P ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/97

CURRENT VERSION: 10.0

·	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	<u> </u>	0	Υ
Pedestrian Assessment	Ó	O	0	Υ
Pedestrian Injury	0	0	្	Υ
Pedestrian General Vehicle	e 0	0	O	Υ
Pedestrian Exterior Vehic	le o	O	0	Υ
Total Inter Errors		0	O	
Total Case Errors	0	0	0	